Decking Product Brochure

Made in Australia

Our aluminium is sourced from North Queensland and extruded & finished on the Gold Coast.




Cleverly designed decking boards that interlock and clip together. Great for balconies, roof terraces, walkways, poolsides and gardens. Interlocking Boards T-Clip Boards Starters T-Joiners Joiner & End Trims Finishing Pieces Specifications , me

	T-Joiner
	Decking Board
	Starter
	Building Substrate

All of our modular profiles give you incredible customisation.

_Various board shapes and sizes. _Spacing options available. _Different finishing/end trim options. _Optional concealed decking underside _A range of specialised decking finishes.



-ÒĆ-

NON WARPING Knotwood's aluminium is not only lighter, but stronger and

DISSIPATES HEAT Aluminium absorbs heat

slowly and releases it quickly, straighter than real wood and making it a perfect option for will not warp over time. decking or any outdoor space.

Ø







ECO FRIENDLY





<u>^^^</u>

Knotwood uses VOC free coatings, lead free finishes and is 100% recyclable at the end of its life span.

SLIP RESISTANT Knotwood decking is available with a non-slip powder coat finish that meets relevant

international standards.



WEATHER RESISTANT

Knotwood won't swell, grow mould or rust when exposed to wet conditions. Unlike wood, it is protected from corrosion.



NON COMBUSTIBLE

Knotwood is a non combustible product and manufactured to meet relevant international fire standards.




INSECT PROOF

Knotwood is impervious to termites and ants, and doesn't require chemical treatments to be protected from pests.



LOW MAINTENANCE

Our specialised finishes have outstanding properties to ensure ease of maintenance and longevity of your surfaces.



End Trims



Matching infills available. Refer to the Product Catalogue.

Decking Colours


Our decking colours have been specially developed to be more durable, hard-wearing and low maintenance than traditional wood. All colours include a slip resistant coating that meets relevant international standards.

Wood Grain



Product Considerations

*Knotwood has carefully managed the colours being presented in the images to ensure they are as close as possible to the true production colour. Colours displayed should be used as a guide for your colour selection. To ensure best accuracy, test your colour choice at home by requesting Colour Swatches.



Decking

FAQs

100% Australian marine grade. Knotwood's aluminium decking is non porous, slip resistant and heat dissipating, making it a more practical and cost effective solution than real wood.

Can decking scratch?

Powder coating is one of the most durable coatings available, however it is a painted finish and can scratch. To minimise the scratches and prolong the life of your decking, it is recommended that you use felt or rubber pads under furniture.

Can decking fade?

Any painted surface with high exposure to the sun will fade over time. Colour fading is a natural process and varies depending on the level of exposure to harsh environments. Although our products are designed to be longer lasting than wood, colour fading can occur over time if the deck recieves high exposure to sunlight. Nonetheless, the capabilities of the aluminium decking are not affected by this.



What grade aluminium do we use?

Does the deck need refinishing?

Knotwood's advanced paint technology and sublimation process provides a durable, baked on finish that does not require repainting or refinishing.

Consulting

Knotwood's consultants offer expert advice on which products and components will best suit your project. Our recommendations factor in the competitive price market and the need to design for low maintenance without compromising on aesthetics.

BIM & CAD

Knotwood products can be requested in various file types. Drawings include product componentry to general detailing for a wide range of applications. Basic 2D DWG are also available.

Project Costings

Our range of services include budgeting options through to pricing for tenders. We are set up to measure from PDF drawings, which are returned with itemised estimates, enabling cross-reference of quantities.

Samples

We use overnight express and aim to deliver samples to your premises within 48 hours. Please contact your Knotwood sales representative for lead times on custom sample orders.


Terms & Conditions

Knotwood reserves the right to vary product specifications or delete products without prior notification, and takes no responsibility for printing errors. Dimensions are approximate. Information provided is representative of the products available at the time of printing and subject to change without notice.

Due to the manufacturing process up to 50mm (25mm of each end) of the extrusion may need to be trimmed back.

Our range of power coated products are supported by an up to 15 year performance warranty on the powder coating.

Contact your Knotwood representative for further details.



Battens Cladding Slats **Decking**

* Contact your Knotwood representati for additional Product Brochures.

Australia

www.knotwood.com.au sales@knotwood.com.au 1300 566 896

United Kingdom

www.knotwood.co.uk sales@knotwood.co.uk 0800 131 3165